

## Classe 5

EM 59 Evo - Task chair


**FREZZA**



### TECHNICAL DETAILS

#### backrest

in nylon with CFC-free polyurethane foam padding. Sheet steel backrest-seat connection with up/down backrest height adjustment system (80 mm). Independent lumbar support adjustment system (100 mm), black polypropylene rear back cover. Available with high and low backrest.



#### seat

glass fiber loaded nylon seat, anatomically shaped, CFC-free polyurethane foam padding. Integrated seat depth adjustment (60 mm) ensuring an adequate support for people of different heights and build. The seat can slide forward and backward to change the thigh support base as desired, providing a dynamic alignment of the position of the legs




#### armrests

adjustable 2D: (height 100 mm, width 38 mm) in soft touch black nylon.

adjustable 4D: (height 100 mm, width 38 mm, depth 50 mm, rotation 30° rh/lh) in soft touch black nylon.


adjustable 3D: (height 90 mm, depth 40 mm, rotation 10° right/left) in black soft-touch nylon with aluminium support.

adjustable 4D: (height 90 mm, depth 40 mm, width 35 mm, rotation 10° right/left) in black soft-touch nylon with aluminium support.



device

synchronised adjustable in 5 positions with backrest's tension adjustment according to the user's weight. This mechanism dynamically follows all the user's body, seat and backrest tilt together, relieving tension on the dorsal muscles. The movement tension is adjustable, adapting to the user's body shapes and preferences. The correct seat/backrest tilt angle ensures proper blood flow while reducing the feeling of heaviness in the lower limbs. A soft release system allows the user to control the movement of the backrest when released.



height adjustment


by gas lift system. Allows an excursion of 13 cm.

base

5-star base in nylon or die-cast aluminium. Self-locking dual-tread rubbered swivel castors, Ø 50 mm, or fixed glides.

ergonomics

EM 59 Evo is equipped with the necessary mechanisms for proper and comfortable use, even for prolonged periods, as long as the following conditions are met: the standard sitting position requires maintaining angles of 90° between torso and thigh, between thigh and leg, and between leg and foot. These last two angles are essential so that the foot, resting completely on the surface below, discharges part of the weight of the lower limb onto it, preventing excessive compression on the back thigh surface and promoting blood circulation to the heart..



base finishes



fabrics

#### Cat. B

Bondai



#### Cat. H

Madrid 3D



Boss FR (eco-leather)



---

**Cat. D**












## King Flex

 XFML	 XFB2	 XFAZ	 XFH6	 XFB4	 XFBX	 XFRM
 XFZC	 XFM0	 XFS2	 XFYD	 XFYS	 XFV1	 XFVM
 XFV0	 XFB0	 XFGC	 XFGS	 XFJ1	 XFM1	 XFCD
 XFZ0						

## Time

 S6G2	 S6V0	 S6R2	 S6R1	 S6R6	 S6R3	 S6R5
 S6B7	 S6B1	 S6B0	 S6B4	 S6V1	 S6V3	 S6V4
 S6M2	 S6M1	 S6M0	 S6G0	 S6B5	 S6G1	

## Skill (eco-leather)

 PGM3	 PGTR	 PGCD	 PGTA	 PGR1	 PGCG	 PGBZ
 PGBB	 PGVC	 PGM2	 PGNE			















---

**Cat. F**

## Step

 STX2	 STZ9	 STSB	 STE1	 STBS	 STVU	 STE4
 STE3	 STE2	 STNE				

















## Chili

 S0G6	 S0G2	 S0G3	 S0M3	 S0V2	 S0R0	 S0R4
 S0RA	 S0R7	 S0R2	 S0B9	 S0B8	 S0V5	 S0V6
 S0V7	 S0NE					

## Stromboli

 S8G0	 S8M1	 S8R1	 S8R3	 S8R2	 S8B3	 S8B2
 S8B0	 S8V2	 S8NE				

## Silvertex

 SBR7	 SBV1	 SBR3	 SBR4	 SBR5	 SBR6	 SBB7
 SBB3	 SBB6	 SBG1	 SBB1	 SBM2	 SBV4	 SBV6
 SBV3	 SBG6					
















## Valencia

 SWR6	 SWBI	 SWV7	 SWRA	 SWR8	 SWR3	 SWR2
 SWB8	 SWG4	 SWB9	 SWB2	 SWM6	 SWG0	 SWG8
 SWG7	 SWG1					


## Jet

 JTW2	 JTW3	 JTH2	 JTGM	 JTYF	 JT1R	 JTRG
 JTO1	 JTR1	 JTVM	 JT07	 JTV1	 JTG3	 JTV7
 JTC1	 JTV8	 JTB3	 JTZ6	 JTM2	 JTZ0	

## Magnum (eco-leather)

 T5G7	 T5B0	 T5B6	 T5B2	 T5B5	 T5R4	 T5R6
 T5V3	 T5G1	 T5M6	 T5M5	 T5G4	 T5M3	 T5V8
 T5NE						

#### Connect




#### Rivet




#### Era



#### Go Check



#### Rondo



#### Cat.G

##### Focus




##### Focus Melange




## ABACUS

### Without armrests

High backrest.  
Synchronised device adjustable in 5 positions.




Low backrest.  
Synchronised device adjustable in 5 positions.




### 2D adjustable armrests in black nylon

High backrest.  
Synchronised device adjustable in 5 positions.




Low backrest.  
Synchronised device adjustable in 5 positions.




### 3D adjustable armrests in black nylon with aluminium support

High backrest.  
Synchronised device adjustable in 5 positions.




Low backrest.  
Synchronised device adjustable in 5 positions.



### 4D adjustable armrests in black nylon / 4D adjustable armrests in black nylon with aluminium support

High backrest.  
Synchronised device adjustable in 5 positions.



Low backrest.  
Synchronised device adjustable in 5 positions.

