Fedra - Bench

TECHNICAL DETAILS




design d.FLUX



plywood frame padded with non-deformable flexible polyurethane foam. Crossed elastic straps inside bench cushion the seat cushion enhance the comfortable feeling of the seat. Upholstered in fabric, eco-leather or leather. plywood frame padded with non-deformable flexible polyurethane foam. Backrests and armrests can backrest and be combined with the bench as desired to allow customisation of the modules. The armrests can be armrests high (H. 50 cm) or low (H. 33 cm). Upholstered in fabric, eco-leather or leather. Ø 16 mm tubular steel with epoxy powder coating or chrome-plated. 3-seater bench comes with a structure central leg. upholstered: available at 45° and 90°, with a plywood frame padded with non-deformable flexible corner modules polyurethane foam. Upholstered in fabric, eco-leather or leather. melamine: available at 45° and 90°, 18 mm thick (density 720 kg/m³, formaldehyde emission class E1, meets CARB requirements) and ABS edging (2 mm thick with rounded edges). The top can be electrified on request. USB socket (5V A+C) in zamak into the bench cushion. The USB socket is installed in a central position. accessories structure Chromed steel Black steel White steel finishes top and table Melaminico finishes MRI MNC MTR MOB MNT MNF White Dove Light American Walnut Black walnut Grey fabrics Cat. H Madrid 3D T3V0 T3V2 T3B2 T3V4 ТЗМЗ T3B3 T3M0 Boss FR (eco-leather) T4M8 T4M4 T4BI T4M5 T4M6 T4M7 T4M3 T4M0 T4M1 T4M2 T4V0 T4G0 T4G1 T4R1 T4R0 T4B1 T4V1 T4NE T4B0 T4V4







ABACUS

Cushions

1-seater cushion.



3-seater cushion.




Pair of legs

Pair of legs.




Corner elements

45° corner cushion.




45° corner melamine element.




Backrest and armrests

Backrest H.50 cm




Low armrest H.33 cm (effective height 17 cm)




2-seater cushion.




Intermediate leg.



90° corner cushion with intermediate leg.



90° corner melamine element with intermediate leg.



High armrest H.50 cm (effective height 34 cm)

