Max - Meeting chair






TECHNICAL DETAILS

backrest	low backrest made	low backrest made of fire-retardant, flexible, cold-foamed polyurethane with steel insert.								
seat	wooden seat padde	wooden seat padded with fire-retardant polyurethane foam.								
armrests	- in die-cast aluminium with upholstered elbow-rests in the same colour as the seat.									
	- <u>entirely upholstered</u> with polyurethane foam padding and steel insert.									
device	synchronised seat/backrest device lockable in 4 positions with lateral adjustment of the backrest's tension according to the user's weight. Tilting agles: backrest 25°, seat 16°. This device dynamically follows all the natural movements of the user's body; seat and backrest tilt together, relieving tension on the dorsal muscles. The movement's tension is adjustable, adapting to the user's body shape and preferences. The correct seat/back tilt angle ensures proper blood flow while reducing the feeling of heaviness in the lower limbs. A soft release system allows the user to control the movement of the backrest when released.									
	Left-hand lever locks the seat in 4 positions	Right lever adjusts the height of the seat	Right-hand outer handle adjusts the backrest's spring tension							
height adjustment	with gas lift system	with gas lift system, which allows a 10 cm excursion.								
base	<u>5-star base</u> in polis	5-star base in polished aluminium. Self-locking, dual-tread, rubbered, swivel castors (Ø 65 mm).								

ergonomics

Max is equipped with the necessary mechanisms for proper and comfortable use, even for prolonged periods, as long as the following conditions are met: the standard sitting position requires maintaining angles of 90° between torso and thigh, between thigh and leg, and between leg and foot.

These last two angles are essential so that the foot, resting completely on the surface below, discharges part of the weight of the lower limb onto it, preventing excessive compression on the back thigh surface and promoting blood circulation to the heart.



base finishes	Polished a	aluminium						
armrests and elbow-rests finishes	Polished a	aluminium	Upholste	ered				
fabrics	Cat.D							
	Skill (eco-leath	ner) PGTR	PGCD	PGTA	PGR1	PGCG	PGBZ	
	PGGB	PGVC	PGM2	PGNE	FGKI	raca	FGBZ	
	Таав	Tavo	T GIVIZ	Talve				
	Cat. F Step							
	STX2	STZ9	STSB	STE1	STBS	STVU	STE4	
	STE3	STE2	STNE					
	Chili							
	SOG6	S0G2	SOG3	SOM3	SOV2	SORO	SOR4	
	SORA	SOR7	SOR2	SOB9	SOB8	SOV5	SOV6	
	SOV7	SONE						
		_						
	Stromboli S8G0	S8M1	S8R1	S8R3	S8R2	S8B3	S8B2	
	S8B0	S8V2	S8NE					
	Silvertex SBR7	SBV1	SBR3	SBR4	SBR5	SBR6	SBB7	
	SBB3	SBB6	SBG1	SBBI	SBM2	SBV4	SBV6	
	SBV3	SBG6	obd.	000.	OB.III.	9311	03.0	
	•							
	Valencia SWR6	SWBI	SWV7	SWRA	SWR8	SWR3	SWR2	
	SWB8	SWG4	SWB9	SWB2	SWM6	SWG0	SWG8	
	SWG7	SWG1	OWBO	OWBZ	GWWIO	owao	Swad	
	Jet JTW2	JTW3	JTH2	JTGM	JTYF	JT1R	JTRG	
	JT01	JTR1	JTVM	JT07	JTVI	JTG3	JTV7	
	JTC1	JTV8	JTB3	JTZ6	JTM2	JTZ0	0111	
			0.50	0.20	01.112	• • • • • • • • • • • • • • • • • • • •		
	Magnum (eco-		TEDO	TEDO	TEDE	TED4	TEDO	
	T5G7	T5B0 T5G1	T5B6	T5B2	T5B5	T5R4 T5M3	T5R6	
	T5NE	1501	TOIVIO	LOIVIO	1304	131/13	1500	
	IJINE							






ABACUS


Meeting

Low backrest. Synchronised seat/backrest device lockable in 4 positions. Padded and upholstered armrests.

Low backrest. Synchronised seat/backrest device lockable in 4 positions. Aluminium armrests with upholstered elbow-rests.



Low backrest. Gas lift system. Padded and upholstered armrests.



Low backrest. Gas lift system. Aluminium armrests with upholstered elbow-rests.

