



## TECHNICAL DETAILS


backrest	<p>available in a high version and in the following configurations:</p> <p><u>Mesh</u>: tubular steel backrest covered with visible stretch mesh.</p> <p><u>Fabric</u>: padded in polyurethane foam and upholstered in fabric, eco-leather or leather.</p> <p>All types of backrests are equipped with a height-adjustable lumbar support (70 mm), that allows customisation of the contact between the backrest and the user's back, particularly in the lower back area, following the natural curves of the spine.</p>
----------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

seat	12 mm-thick beech plywood with polyurethane foam padding.
------	-----------------------------------------------------------

armrests	<p>- <u>2D adjustable</u> (height 90 mm, depth 40 mm) in soft touch nylon with a black plastic finish.</p> <p>- <u>3D adjustable</u> (height 90 mm, depth 40 mm and rotation <math>\pm 10^\circ</math>) in soft touch nylon, with aluminium support.</p>
----------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------



device	<p>synchronised self-calibrating device with 3-position adjustment (tilting angles: position 0: <math>0,4^\circ</math> backrest, <math>1,5^\circ</math> seat; position 1: <math>7,9^\circ</math> backrest, <math>0,76^\circ</math> seat; position 2: <math>16,9^\circ</math> backrest; <math>3,3^\circ</math> seat) and anti-shock backrest release system. This mechanism allows automatic adaptation to the weight of the user without requiring any operation. The backrest tilt resistance is directly proportional to the weight exerted on the seat.</p>
--------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------



Lever on the right, to adjust the seat height

device

synchronised self-calibrating device with 3-position adjustment with seat depth adjustment (70 mm) (tilting angles: position 0: 0,4° backrest, 1,5° seat; position 1: 7,9° backrest, 0,76° seat; position 2: 16,9° backrest; 3,3° seat) and anti-shock backrest release system. This mechanism allows automatic adaptation to the weight of the user without requiring any operation. The backrest tilt resistance is directly proportional to the weight exerted on the seat. The seat depth adjustment ensures an adequate support surface for people of different heights and builds. By sliding the seat backwards and forwards, the thigh support base can be changed at will, providing a dynamic adjustment of the leg position.



Lever on the right, to adjust the seat height

Lever on the left, to adjust the seat depth

height adjustment


by gas lift. It allows an excursion of 13 cm.

base

5-star base in nylon or die-cast polished aluminium. Self-locking, dual-tread, rubbered, swivel castors, Ø 65 mm, as standard.

ergonomics

Deva is equipped with the necessary mechanisms for proper and comfortable use, even for prolonged periods, as long as the following conditions are met: the standard sitting position requires maintaining angles of 90° between torso and thigh, between thigh and leg, and between leg and foot. These last two angles are essential so that the foot, resting completely on the surface below, discharges part of the weight of the lower limb onto it, preventing excessive compression on the back thigh surface and promoting blood circulation to the heart.



base finishes



Polished aluminium



Black nylon

mesh

**Cat. E**

Polo



RPRO



RPBI



RPG1



RPGR



RPRE



RPZ0

**Cat. N**

Spin



S1V1



S1B8



S1R0



S1V0



S1G4



S1G0



S1G2



S1NE

**Cat. V**

Volley FR



R6NE

## fabrics

**Cat. B**

Bondai

 TBB2	 TBB1	 TBB6	 TBB4	 TBV2	 TBR2	 TBR1
 TBMN	 TBR3	 TBR0	 TBV1	 TBV4	 TBV0	 TBB0
 TBM1	 TBBE	 TBGC	 TBAV	 TBG0	 TBZ0	

**Cat. H**

Madrid 3D

 T3M0	 T3V0	 T3V2	 T3B2	 T3V4	 T3M3	 T3B3
----------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------

Boss FR (eco-leather)

 T4BI	 T4M5	 T4M8	 T4M6	 T4M4	 T4M7	 T4M3
 T4M0	 T4M1	 T4M2	 T4V0	 T4G0	 T4G1	 T4R1
 T4R0	 T4B0	 T4B1	 T4V4	 T4V1	 T4NE	

**Cat. D**












King Flex

 XFML	 XFB2	 XFAZ	 XFH6	 XFB4	 XFBX	 XFRM
 XFZC	 XFM0	 XFS2	 XFYD	 XFYS	 XFV1	 XFVM
 XFV0	 XFB0	 XFGC	 XFGS	 XFJ1	 XFM1	 XFCD
 XFZ0						

Time

 S6G2	 S6V0	 S6R2	 S6R1	 S6R6	 S6R3	 S6R5
 S6B7	 S6B1	 S6B0	 S6B4	 S6V1	 S6V3	 S6V4
 S6M2	 S6M1	 S6M0	 S6G0	 S6B5	 S6G1	

Skill (eco-leather)

















 PGM3	 PGTR	 PGCD	 PGTA	 PGR1	 PGCG	 PGBZ
 PGGB	 PGVC	 PGM2	 PGNE			

**Cat. F**

Step

 STX2	 STZ9	 STSB	 STE1	 STBS	 STVU	 STE4
 STE3	 STE2	 STNE				

















Chili

 S0G6	 S0G2	 S0G3	 S0M3	 S0V2	 S0R0	 S0R4
 S0RA	 S0R7	 S0R2	 S0B9	 S0B8	 S0V5	 S0V6
 S0V7	 S0NE					

Stromboli

 S8G0	 S8M1	 S8R1	 S8R3	 S8R2	 S8B3	 S8B2
 S8B0	 S8V2	 S8NE				

Silvertex

 SBR7	 SBV1	 SBR3	 SBR4	 SBR5	 SBR6	 SBB7
 SBB3	 SBB6	 SBG1	 SBB1	 SBM2	 SBV4	 SBV6
 SBV3	 SBG6					


### Valencia




### Jet



### Magnum (eco-leather)



### Connect




### Rivet




### Era



### Go Check



### Rondo



### Cat. R

#### Disco Coex




### Cat. G


#### Remix 3



### Morph



Focus



Focus Melange



Aida




Cat. Q

Steelcut Trio 3



Ecriture



Ombra



Cat. I

Buffalo leather



Cat. P


Leather




## ABACUS

### Mesh Executive


3-position synchronised self-calibrating device.  
2D Armrests.




3-position synchronised self-calibrating device +  
seat depth adjustment.  
2D Armrests.



3-position synchronised self-calibrating device.  
3D Armrests.




3-position synchronised self-calibrating device +  
seat depth adjustment.  
3D Armrests.




### Fabric Executive


3-position synchronised self-calibrating device.  
2D Armrests.



3-position synchronised self-calibrating device +  
seat depth adjustment.  
2D Armrests.



3-position synchronised self-calibrating device.  
3D Armrests.



3-position synchronised self-calibrating device +  
seat depth adjustment.  
3D Armrests.

