




**TECHNICAL DETAILS**

backrest in nylon with a non-deformable flexible polyurethane padding. White polypropylene backrest cover. Steel seat/backrest connection with Up & Down system, with height adjustable (75 mm) backrest, that allows you to adjust the height of the backrest to ensure adequate lumbar support, protecting the intervertebral discs and the spine. The backrest can be adjusted with an auto-return release system at the end of the stroke. The chair is available with high backrest, with or without headrest.



seat in polypropylene, reinforced with steel bars, polyurethane padding with anatomical shape, white polypropylene underseat.

headrest in upholstered white nylon, height-adjustable (65 mm) and with tilt adjustment in 2 position (18° and 36°). It allows better support for the head and relax tense neck muscles




armrests

adjustable 4D: in white soft touch nylon with black arm-pads, they adjust height 100 mm, depth 50 mm, width 30 mm and rotation 10° right/left.



device

synchronised lockable in 4 positions and seat depth adjustment (55 mm), with adjustment of the backrest resistance in relation to the user's weight. This mechanism dynamically follows all the natural movements of the user's body; seat and backrest tilt together, relieving tension on the dorsal muscles. The movement tension is adjustable, adapting to the user's body shape and preferences. The correct seat/back tilt angle ensures proper blood flow while reducing the feeling of heaviness in the lower limbs. A soft release system allows the user to control the movement of the backrest when released. The seat depth adjustment provides adequate support for people of different heights and build. The seat can slide forward and backward to change the thigh support base as desired, providing a dynamic alignment of the position of the legs.



Right lever adjusts the height of the seat

External handle on the right hand lever adjusts the backrest's spring tension

Left hand handle locks the backrest in 4 positions

Button for adjusting seat depth

height adjustment


by gas lift. Allows an excursion of 11 cm.

base


5-star white nylon or polished die-cast aluminium base. Self-locking dual-tread rubbered swivel castors Ø 65 mm standard (Ø 50 mm for polished aluminium version).

ergonomics

Kiku is equipped with the necessary mechanisms for correct and comfortable use, even for prolonged periods, provided that the following conditions are met: the standard sitting position requires the maintenance of angles of 90° between the torso and thigh, between the thigh and leg and between the leg and foot. These last two angles are essential so that the foot, resting completely on the underlying surface, can unload part of the weight of the lower limb onto it, avoiding excessive compression on the posterior surface of the thigh and favouring the return of the blood circulating in the leg veins towards the heart.



base finishes



Polished aluminium



White aluminium

fabrics

**Cat. B**

Bondai



**Cat. H**

Madrid 3D



Boss FR (eco-leather)



Cat. D


King Flex



Time



Skill (eco-leather)




Cat. F

Step




Chili



Stromboli



Silvertex




Valencia




Jet



Magnum (eco-leather)



Connect




Rivet




Era



Go Check




Rondo



Cat. G

Focus




Focus Melange




## ABACUS

### Synchronised lockable in 4 positions with seat depth adjustment

Without armrests.



4D adjustable armrests.



4D adjustable armrests.+ headrest.

