REZ/A

Takk Black Mesh - Task chair



#### **TECHNICAL DETAILS**

backrest

in black nylon, covered with stretch polyester mesh cover appropriately tensioned and height-adjustable lumbar support (60 mm). It allows to personalise the contact between the backrest and the back of the user, particularly in the lower back area, following the natural curves of the spine. Nylon seat/backrest connection. Available with medium backrest, with or without headrest.



seat in plastic with steel reinforcement bars, anatomically shaped polyurethane foam padding, black polypropylene under seat cover.

headrest

fixed.

armrests

fixed: in black nylon.

1D adjustable: (height 90 mm) in black soft touch.

2D adjustable: (height 90 mm, depth 46 mm) in black soft touch.





device

synchronised lockable in 3 positions with frontal adjustment of the backrest resistance in relation to the user's weight and anti-shock backrest release system. This mechanism dynamically follows all the natural movements of the user's body; seat and backrest tilt together, relieving tension on the dorsal muscles. The movement tension is adjustable, adapting to the user's body shape and preferences. The correct seat/back tilt angle ensures proper blood flow while reducing the feeling of heaviness in the lower limbs. A soft release system allows the user to control the movement of the backrest when released.




device

synchronised lockable in 3 positions with seat depth adjustment (60 mm), with adjustment of the backrest resistance in relation to the user's weight. Anti-shock backrest release system. This mechanism dynamically follows all the natural movements of the user's body; seat and backrest tilt together, relieving tension on the dorsal muscles. The movement tension is adjustable, adapting to the user's body shape and preferences. The correct seat/back tilt angle ensures proper blood flow while reducing the feeling of heaviness in the lower limbs. A soft release system allows the user to control the movement of the backrest when released. The seat depth adjustment provides adequate support for people of different heights and build. The seat can slide forward and backward to change the thigh support base as desired, providing a dynamic alignment of the position of the legs.



device

synchronised self-calibrating with 3-position adjustment (oscillation angles: position 0: backrest 0.4° seat 1.5°; position 1: backrest 7.9° seat 0.76°; position 2: backrest 16.9° seat 3.3°) and anti-shock release system. This mechanism allows the backrest to adapt automatically to the user's weight without requiring any operation. The backrest tilt resistance is directly proportional to the weight exerted on the seat.



Right lever adjusts the height of the seat

device

synchronised self-calibrating with 3-position adjustment with seat depth adjustment (70 mm). Oscillation angles: position 0: backrest 0.4° seat 1.5°; position 1: backrest 7.9° seat 0.76°; position 2: backrest 16.9° seat 3.3°) and anti-shock release system. This mechanism allows the backrest to adapt automatically to the user's weight without requiring any operation. The backrest tilt resistance is directly proportional to the weight exerted on the seat. The seat depth adjustment provides adequate support for people of different heights and build. The seat can slide forward and backward to change the thigh support base as desired, providing a dynamic alignment of the position of the legs.



	height of the seat depth
height adjustment	by gas lift. Allows an excursion of 13 cm.
base	<u>5-star base</u> in black nylon or die-cast aluminium. Self-locking dual-tread rubbered swivel castors, Ø 50 mm
ergonomics	Takk is equipped with the necessary mechanisms for correct and comfortable use, even for prolonged periods, provided that the following conditions are met: the standard sitting position requires the maintenance of angles of 90° between the torso and thigh, between the thigh and leg and between the leg and foot. These last two angles are essential so that the foot, resting completely on the underlying surface, can unload part of the weight of the lower limb onto it, avoiding excessive compression on the posterior surface of the thigh and favouring the return of the blood circulating in the leg veins towards the heart.
base finishes	Polished aluminium Black nylon
mesh	Cat. E Polo
fabrics	Cat. B   Bondai   TBB2 TBB1 TBB6 TBB4 TBV2 TBR2 TBR1   TBMN TBR3 TBR0 TBV1 TBV4 TBV0 TBB0   TBM1 TBBE TBGC TBAV TBG0 TBZ0
	Madrid 3D

T3M0

T3V0

T3V2

T3B2

T3V4

ТЗМЗ

T3B3





#### **ABACUS**

### Synchronised lockable in 3 positions

### Synchronised lockable in 3 positions + seat depth adjustment

Without armrests.

Without armrests.


67+6






Fixed armrests.


Fixed armrests.






1D adjustable armrests.


1D adjustable armrests.






2D adjustable armrests.

2D adjustable armrests.









# Synchronised self-calibrating with 3-position adjustment

Without armrests.




## Synchronised self-calibrating with 3-position adjustment + seat depth adjustment

Without armrests.




Fixed armrests.




Fixed armrests.





1D adjustable armrests.




1D adjustable armrests.








2D adjustable armrests + headrest.





2D adjustable armrests + headrest.

