





## TECHNICAL DETAILS


backrest	in white nylon, covered with stretch polyester mesh cover appropriately tensioned and height-adjustable lumbar support (60 mm). It allows to personalise the contact between the backrest and the back of the user, particularly in the lower back area, following the natural curves of the spine. Nylon backrest/seat connection. Available with medium backrest, with or without headrest.
----------	---




seat	in plastic with steel reinforcement bars, anatomically shaped polyurethane foam padding and white polypropylene under-seat cover.
headrest	fixed
armrests	<u>1D adjustable</u> : (height 60 mm) in white nylon with black armpads.




synchronised lockable in 3 positions with frontal adjustment of the backrest resistance in relation to the user's weight and anti-shock backrest release system. This mechanism dynamically follows all the natural movements of the user's body; seat and backrest tilt together, relieving tension on the dorsal muscles. The movement tension is adjustable, adapting to the user's body shape and preferences. The correct seat/back tilt angle ensures proper blood flow while reducing the feeling of heaviness in the lower limbs. A soft release system allows the user to control the movement of the backrest when released.




synchronised lockable in 3 positions with seat depth adjustment (60 mm), with adjustment of the backrest resistance in relation to the user's weight. Anti-shock backrest release system. This mechanism dynamically follows all the natural movements of the user's body; seat and backrest tilt together, relieving tension on the dorsal muscles. The movement tension is adjustable, adapting to the user's body shape and preferences. The correct seat/back tilt angle ensures proper blood flow while reducing the feeling of heaviness in the lower limbs. A soft release system allows the user to control the movement of the backrest when released. The seat depth adjustment provides adequate support for people of different heights and build. The seat can slide forward and backward to change the thigh support base as desired, providing a dynamic alignment of the position of the legs.



synchronised self-calibrating with 3-position adjustment (oscillation angles: position 0: backrest 0.4° seat 1.5°; position 1: backrest 7.9° seat 0.76°; position 2: backrest 16.9° seat 3.3°) and anti-shock release system. This mechanism allows the backrest to adapt automatically to the user's weight without requiring any operation. The backrest tilt resistance is directly proportional to the weight exerted on the seat.



synchronised self-calibrating with 3-position adjustment and seat depth adjustment (70 mm). Oscillation angles: position 0: backrest 0.4° seat 1.5°; position 1: backrest 7.9° seat 0.76°; position 2: backrest 16.9° seat 3.3°) and anti-shock release system. This mechanism allows the backrest to adapt automatically to the user's weight without requiring any operation. The backrest tilt resistance is directly proportional to the weight exerted on the seat. The seat depth adjustment provides adequate support for people of different heights and build. The seat can slide forward and backward to change the thigh support base as desired, providing a dynamic alignment of the position of the legs.



height adjustment	by gas lift. Allows an excursion of 13 cm.		
base	5-star base in white nylon or die-cast aluminium. Self-locking dual-tread rubbered swivel castors, Ø 65 mm standard (Ø 50 mm for aluminium base)		
ergonomics	Takk is equipped with the necessary mechanisms for correct and comfortable use, even for prolonged periods, provided that the following conditions are met: the standard sitting position requires the maintenance of angles of 90° between the torso and thigh, between the thigh and leg and between the leg and foot. These last two angles are essential so that the foot, resting completely on the underlying surface, can unload part of the weight of the lower limb onto it, avoiding excessive compression on the posterior surface of the thigh and favouring the return of the blood circulating in the leg veins towards the heart.		
base finishes	Polished aluminium            White nylon		
mesh	<p><b>Cat. E</b> Polo</p> <p>  RPRO            RPBI            RPG1            RPGR            RPRE            RPZO         </p> <hr/> <p><b>Cat. N</b> Spin</p> <p>  S1V1            S1B8            S1R0            S1V0            S1G4            S1G0            S1G2            S1NE         </p> <hr/> <p><b>Cat. V</b> Volley FR</p> <p>  R6NE         </p>		
fabrics	<p><b>Cat. B</b> Bondai</p> <p>  TBB2            TBB1            TBB6            TBB4            TBV2            TBR2            TBR1            TBMN            TBR3            TBR0            TBV1            TBV4            TBV0            TBB0            TBM1            TBBE            TBGC            TBAV            TBG0            TBZ0         </p> <hr/> <p><b>Cat. H</b> Madrid 3D</p> <p>  T3M0            T3V0            T3V2            T3B2            T3V4            T3M3            T3B3         </p> <p>Boss FR (eco-leather)</p> <p>  T4BI            T4M5            T4M8            T4M6            T4M4            T4M7            T4M3            T4M0            T4M1            T4M2            T4V0            T4G0            T4G1            T4R1            T4R0            T4B0            T4B1            T4V4            T4V1            T4NE         </p>		

---

**Cat. D**












## King Flex

 XFML	 XFB2	 XFAZ	 XFH6	 XFB4	 XFBX	 XFRM
 XFZC	 XFM0	 XFS2	 XFYD	 XFYS	 XFV1	 XFVM
 XFV0	 XFB0	 XFGC	 XFGS	 XFJ1	 XFM1	 XFCD
 XFZ0						

## Time

 S6G2	 S6V0	 S6R2	 S6R1	 S6R6	 S6R3	 S6R5
 S6B7	 S6B1	 S6B0	 S6B4	 S6V1	 S6V3	 S6V4
 S6M2	 S6M1	 S6M0	 S6G0	 S6B5	 S6G1	

## Skill (eco-leather)

 PGM3	 PGTR	 PGCD	 PGTA	 PGR1	 PGCG	 PGBZ
 PGBB	 PGVC	 PGM2	 PGNE			















---

**Cat. F**

## Step

 STX2	 STZ9	 STSB	 STE1	 STBS	 STVU	 STE4
 STE3	 STE2	 STNE				

















## Chili

 S0G6	 S0G2	 S0G3	 S0M3	 S0V2	 S0R0	 S0R4
 S0RA	 S0R7	 S0R2	 S0B9	 S0B8	 S0V5	 S0V6
 S0V7	 S0NE					

## Stromboli

 S8G0	 S8M1	 S8R1	 S8R3	 S8R2	 S8B3	 S8B2
 S8B0	 S8V2	 S8NE				

## Silvertex

 SBR7	 SBV1	 SBR3	 SBR4	 SBR5	 SBR6	 SBB7
 SBB3	 SBB6	 SBG1	 SBB1	 SBM2	 SBV4	 SBV6
 SBV3	 SBG6					
















## Valencia

 SWR6	 SWBI	 SWV7	 SWRA	 SWR8	 SWR3	 SWR2
 SWB8	 SWG4	 SWB9	 SWB2	 SWM6	 SWG0	 SWG8
 SWG7	 SWG1					


## Jet

 JTW2	 JTW3	 JTH2	 JTGM	 JTYF	 JT1R	 JTRG
 JTO1	 JTR1	 JTVM	 JT07	 JTV1	 JTG3	 JTV7
 JTC1	 JTV8	 JTB3	 JTZ6	 JTM2	 JTZ0	

## Magnum (eco-leather)

 T5G7	 T5B0	 T5B6	 T5B2	 T5B5	 T5R4	 T5R6
 T5V3	 T5G1	 T5M6	 T5M5	 T5G4	 T5M3	 T5V8
 T5NE						

#### Connect




#### Rivet




#### Era



#### Go Check




#### Rondo



#### Cat. G


##### Focus



##### Focus Melange




##### Savanna



**ABACUS**


Synchronised lockable in 3 positions

Without armrests.




Synchronised lockable in 3 positions  
with seat depth adjustment


Without armrests.




1D adjustable armrests.




1D adjustable armrests.



1D adjustable armrests + headrest.




1D adjustable armrests + headrest




## Synchronised self-calibrating with 3-position adjustment


Without armrests.



1D adjustable armrests.




1D adjustable armrests + headrest.




## Synchronised self-calibrating with 3-position adjustment with seat depth adjustment

Without armrests.



1D adjustable armrests.



1D adjustable armrests + headrest.

