
# BIA

Bia - Executive chair



**TECHNICAL DETAILS** design J. Bennett


| | |
|---|---|
| backrest | in cold-foamed polyurethane, flexible (65 kg/m³), fire-retardant, CFC-free, with steel insert. Available in high and medium versions. |
| seat | pressed metal sheet with fire-retardant, CFC-free flexible polyurethane padding; polypropylene under-seat cover. |
| armrests | pressure die-cast aluminium armrests, closed type, trapezoidal, linked to the backrest. Aluminium parts are available with a polished or black painted finish. |
| device | self-calibrating synchronised device with 3-position. Tilting angles: 18° backrest, 1° seat; starting position of the seat: 1.5° backwards. This device is integrated into the seat and is not visible from the outside and it automatically adapts to the user's weight without requiring any operation. The backrest's tilt resistance is proportional to the weight placed on the seat. |
| height adjustment | by gas lift with integrated lever under the seat. Allows a 11 cm excursion. |
| base | 5-star base in polished aluminium or black epoxy powder coating. Self-locking, dual-tread, rubbered, swivel castors for hard floors (Ø 60 mm for polished base, Ø 65 mm for black painted base). |



Integrated left-hand lever locks the seat in 3 positions

Right lever adjusts the height of the seat

| | |
|---|---|
| ergonomics | Bia is equipped with the necessary mechanisms for proper and comfortable use, even for prolonged periods, as long as the following conditions are met: the standard sitting position requires maintaining angles of 90° between torso and thigh, between thigh and leg, and between leg and foot. These last two angles are essential so that the foot, resting completely on the surface below, discharges part of the weight of the lower limb onto it, preventing excessive compression on the back thigh surface and promoting blood circulation to the heart. |




| | |
|---|---|
| base finishes | Polished aluminium<br>Black aluminium |
| armrest finishes | Polished aluminium<br>Black aluminium |
| fabrics | **Cat.D**<br>Skill (eco-leather)<br>PGM3 PGTR PGCD PGTA PGR1 PGCG PGBZ<br>PGGB PGVC PGM2 PGNE<br><br>**Cat. F**<br>Step<br>STX2 STZ9 STSB STE1 STBS STVU STE4<br>STE3 STE2 STNE<br><br>Chili<br>S0G6 S0G2 S0G3 S0M3 S0V2 S0R0 S0R4<br>S0RA S0R7 S0R2 S0B9 S0B8 S0V5 S0V6<br>S0V7 S0NE<br><br>Silvertex<br>SBR7 SBV1 SBR3 SBR4 SBR5 SBR6 SBB7<br>SBB3 SBB6 SBG1 SBBI SBM2 SBV4 SBV6<br>SBV3 SBG6<br><br>Valencia (eco-leather)<br>SWR6 SWBI SWV7 SWRA SWR8 SWR3 SWR2<br>SWB8 SWG4 SWB9 SWB2 SWM6 SWG0 SWG8<br>SWG7 SWG1<br><br>Jet<br>JTW2 JTW3 JTH2 JTGM JTYF JT1R JTRG<br>JTO1 JTR1 JTVM JT07 JTVI JTG3 JTV7<br>JTC1 JTV8 JTB3 JTZ6 JTM2 JTZ0<br><br>Magnum Bio Base (eco-leather)<br>T5G7 T5B0 T5B6 T5B2 T5B5 T5R4 T5R6<br>T5V3 T5G1 T5M6 T5M5 T5G4 T5M3 T5V8<br>T5NE<br><br>Connect<br>T6G0 T6G1 T6G2 T6R0 T6R1 T6R2 T6V5<br>T6V6 T6B6 T6NE |

Rivet

T7B1 T7B4 T7B2 T7R6 T7R0 T7R1 T7R2
T7R3 T7V0 T7V5 T7V4 T7V3 T7G3 T7G1
T7G4 T7G7

Era

T8R0 T8R1 T8R2 T8R3 T8R9 T8V8 T8V2
T8V5 T8V6 T8V0 T8G1 T8G4 T8BA T8BB
T8G6 T8NE

Go Check

T9B7 T9B8 T9B9 T9R5 T9R6 T9R7 T9V0
T9V2 T9V3 T9G0 T9G2 T9G4

**Cat. P**

Leather

URBI URBE URBC URGR URGS URVS URMR
URMC UROC URYE UROR URRE URBS URVE
URNE

**Cat. PX**


Corrected grain leather

KTBI KTBE KTYE KTRO KTOC KTR4 KTRC
KTBX KTM1 KTM4 KTM2 KTVS KTG1 KTAZ
KTBL KTB4 KTGR KTG3 KTGS KTNE

## ABACUS

### Executive

High backrest.
Gas lift system.
Self-calibrating synchronised device with 3-position




Medium backrest.
Gas lift system.
Self-calibrating synchronised device with 3-position

