

TAKK


Takk Black Mesh - Task chair




TECHNICAL DETAILS

backrest	in black nylon, covered with stretch polyester mesh cover appropriately tensioned and height-adjustable lumbar support (60 mm). It allows to personalise the contact between the backrest and the back of the user, particularly in the lower back area, following the natural curves of the spine. Nylon seat/backrest connection. Available with or without headrest. 
seat	in plastic with steel reinforcement bars, anatomically shaped polyurethane foam padding, black polypropylene under seat cover.
headrest	fixed.
armrests	- fixed: in black nylon. - 1D adjustable: (height 90 mm) in black soft touch. - 2D adjustable: (height 90 mm, depth 46 mm) in black soft touch. 


device	synchronised lockable in 3 positions with frontal adjustment of the backrest resistance in relation to the user's weight and anti-shock backrest release system. This mechanism dynamically follows all the natural movements of the user's body; seat and backrest tilt together, relieving tension on the dorsal muscles. The movement tension is adjustable, adapting to the user's body shape and preferences. The correct seat/back tilt angle ensures proper blood flow while reducing the feeling of heaviness in the lower limbs. A soft release system allows the user to control the movement of the backrest when released.



Right lever adjusts the height of the seat




The same lever locks the backrest in 3 positions



Central pommel adjusts the backrest's spring tension


device	synchronised lockable in 3 positions with seat depth adjustment (60 mm), with frontal adjustment of the backrest resistance in relation to the user's weight. Anti-shock backrest release system. This mechanism dynamically follows all the natural movements of the user's body; seat and backrest tilt together, relieving tension on the dorsal muscles. The movement tension is adjustable, adapting to the user's body shape and preferences. The correct seat/back tilt angle ensures proper blood flow while reducing the feeling of heaviness in the lower limbs. A soft release system allows the user to control the movement of the backrest when released. The seat depth adjustment provides adequate support for people of different heights and build. The seat can slide forward and backward to change the thigh support base as desired, providing a dynamic alignment of the position of the legs.



Right lever adjusts the height of the seat



The same lever locks the backrest in 3 positions




Central pommel adjusts the backrest's spring tension



Front right lever adjusts seat depth


device	synchronised self-calibrating with 3-position adjustment (oscillation angles: position 0: backrest 0.4° seat 1.5°; position 1: backrest 7.9° seat 0.76°; position 2: backrest 16.9° seat 3.3°) and anti-shock release system. This mechanism allows the backrest to adapt automatically to the user's weight without requiring any operation. The backrest tilt resistance is directly proportional to the weight exerted on the seat.



Right lever adjusts the height of the seat



device	synchronised self-calibrating with 3-position adjustment with seat depth adjustment (70 mm). Oscillation angles: position 0: backrest 0.4° seat 1.5°; position 1: backrest 7.9° seat 0.76°; position 2: backrest 16.9° seat 3.3°) and anti-shock release system. This mechanism allows the backrest to adapt automatically to the user's weight without requiring any operation. The backrest tilt resistance is directly proportional to the weight exerted on the seat. The seat depth adjustment provides adequate support for people of different heights and build. The seat can slide forward and backward to change the thigh support base as desired, providing a dynamic alignment of the position of the legs.




Right lever adjusts the height of the seat



Left hand lever adjusts seat depth

height adjustment	by gas lift. Allows an excursion of 13 cm.
base	5-star base in black nylon or die-cast aluminium. Self-locking dual-tread rubbered swivel castors, for hard floors, Ø 50 mm as standard.
ergonomics	Takk is equipped with the necessary mechanisms for correct and comfortable use, even for prolonged periods, provided that the following conditions are met: the standard sitting position requires the maintenance of angles of 90° between the torso and thigh, between the thigh and leg and between the leg and foot. These last two angles are essential so that the foot, resting completely on the underlying surface, can unload part of the weight of the lower limb onto it, avoiding excessive compression on the posterior surface of the thigh and favouring the return of the blood circulating in the leg veins towards the heart.



base finishes	Polished aluminium · Black nylon
mesh	**Cat. E** Polo RPRO · RPBI · RPG1 · RPGR · RPRE · RPZ0 **Cat. N** Spin S1V1 · S1B8 · S1R0 · S1V0 · S1G4 · S1G0 · S1G2 · S1NE **Cat. V** Volley FR R6NE
fabrics	**Cat. B** Bondai TBB2 · TBB1 · TBB6 · TBB4 · TBV2 · TBR2 · TBR1 TBMN · TBR3 · TBR0 · TBV1 · TBV4 · TBV0 · TBB0 TBM1 · TBBE · TBGC · TBAV · TBG0 · TBZ0 **Cat. H** Madrid 3D T3M0 · T3V0 · T3V2 · T3B2 · T3V4 · T3M3 · T3B3

Boss FR (eco-leather)

T4BI T4M5 T4M8 T4M6 T4M4 T4M7 T4M3
T4M0 T4M1 T4M2 T4V0 T4G0 T4G1 T4R1
T4R0 T4B0 T4B1 T4V4 T4V1 T4NE

Cat. D

King Flex

XFML XFB2 XFAZ XFH6 XFB4 XFBX XFRM
XFZC XFM0 XFS2 XFYD XFYS XFV1 XFVM
XFV0 XFB0 XFGC XFGS XFJ1 XFM1 XFCD
XFZ0

Time

S6G2 S6V0 S6R2 S6R1 S6R6 S6R3 S6R5
S6B7 S6B1 S6B0 S6B4 S6V1 S6V3 S6V4
S6M2 S6M1 S6M0 S6G0 S6B5 S6G1

Skill (eco-leather)

PGM3 PGTR PGCD PGTA PGR1 PGCG PGBZ
PGGB PGVC PGM2 PGNE

Cat. F

Step

STX2 STZ9 STSB STE1 STBS STVU STE4
STE3 STE2 STNE

Chili

S0G6 S0G2 S0G3 S0M3 S0V2 S0R0 S0R4
S0RA S0R7 S0R2 S0B9 S0B8 S0V5 S0V6
S0V7 S0NE

Silvertex

SBR7 SBV1 SBR3 SBR4 SBR5 SBR6 SBB7
SBB3 SBB6 SBG1 SBBI SBM2 SBV4 SBV6
SBV3 SBG6

Valencia (eco-leather)

SWR6 SWBI SWV7 SWRA SWR8 SWR3 SWR2
SWB8 SWG4 SWB9 SWB2 SWM6 SWG0 SWG8
SWG7 SWG1


Jet

JTW2 JTW3 JTH2 JTGM JTYF JT1R JTRG
JTO1 JTR1 JTVM JT07 JTVI JTG3 JTV7
JTC1 JTV8 JTB3 JTZ6 JTM2 JTZ0

Magnum Bio Base (eco-leather)

T5G7 T5B0 T5B6 T5B2 T5B5 T5R4 T5R6
T5V3 T5G1 T5M6 T5M5 T5G4 T5M3 T5V8
T5NE

Connect




Rivet



Era




Go Check




ABACUS

Synchronised lockable in 3 positions


Without armrests.




Fixed armrests.



1D adjustable armrests.




2D adjustable armrests.




Synchronised lockable in 3 positions + seat depth adjustment


Without armrests.




Fixed armrests.




1D adjustable armrests.




2D adjustable armrests.



2D adjustable armrests + headrest.




2D adjustable armrests + headrest.




Synchronised self-calibrating with 3-position adjustment


Without armrests.



Fixed armrests.




1D adjustable armrests.




Synchronised self-calibrating with 3-position adjustment + seat depth adjustment


Without armrests.




Fixed armrests.




1D adjustable armrests.




2D adjustable armrests.



2D adjustable armrests.



2D adjustable armrests + headrest.



2D adjustable armrests + headrest.

