


Wait Mesh - Multipurpose chair



TECHNICAL DETAILS

backrest	in nylon with stretch mesh cover.
Dackiest	
seat	in nylon with CFC-free polyurethane foam padding.
armrests	in black painted or chromed tubular steel (Ø 25x2 mm) with black polypropylene elbow-rests.
height adjustment	by gas lift. Allows an excursion of 13 cm (only for chair with 5-star base with castors)
base	- <u>5-star base</u> in nylon or polished aluminium with rubbered dual-tread self-locking castors Ø 50 mm.
	- <u>4-leg frame</u> in black or chromed tubular steel.
	- <u>4-leg frame</u> in black or chromed tubular steel with rubbered dual-tread self-locking castors Ø 50 mm.
	- <u>cantilever frame</u> in black or chromed tubular steel (Ø 25x2 mm).
4-leg frame and cantilever frame finishes	Chromed steel Black steel
5-star base finishes	Polished aluminium Black nylon
mesh	Cat. E Polo RPRO RPBI RPG1 RPGR RPRE RPZO
	Cat. N Spin S1V1 S1B8 S1R0 S1V0 S1G4 S1G0 S1G2 S1NE
	Cat. V Volley FR R6NE









ABACUS


Cantilever frame.



4-leg frame on castors.



4-leg frame.



5-star base on castors.

